

H 2861 B

Built-in 60 cm oven with a timer, automatic programmes and AirFry mode



- Built-in oven with a broad range of operating modes from Fan Grill to Conventional Heat for all types of traditional bread and roasted dishes
- Automatic programmes for guided cooking results
- Dedicated AirFry function and recipes that offer crunchy and crisp results
- Lots of room and flexibility – 76 l oven capacity on 5 levels
- Protects against burns – touch-cool front door
- Network-enabled WiFi appliance Miele@home

EAN: 4002516647171 / Material number: 12174450

Model and design	
Built-in Oven	•
Design line	VitroLine
Appliance Colour	Obsidian Black
Non-retractable knobs	•
Convenience features	
Rapid heat-up	•
Operating modes	
Automatic programmes	•
Eco Fan heat	•
Grill	•
Fan plus	•
Intensive bake	•
Conventional heat	•
Bottom heat	•
Fan grill	•
AirFry	•
User convenience	
Display	EasyControl Plus
SoftOpen	•
SoftClose	•
Time of day display	•
Minute minder	•
Programmable start of cooking duration	•
Programmable end of cooking duration	•
Actual temperature display	•
Target temperature display	•
Audible signal when desired temperature is reached	•
Recommended temperature	•
Individual settings	•
MultiLingua	•
Networking with Miele@home	•
Cleaning and care	
Oven compartment with PerfectClean and catalytically enamelled rear liner	•
CleanGlass door	•
Safety	
Appliance cooling system and touch-cool front door	•
Safety switch-off	•
System lock	•

H 2861 B

Built-in 60 cm oven with a timer, automatic programmes and AirFry mode




EAN: 4002516647171 / Material number: 12174450


Technical data	
Oven compartment volume in l	76
No. of shelf levels	5
Shelf level labelling	•
Oven light	1 halogen spot
Temperature regulation in °C	30-300
Niche width in mm	560-568
Niche height in mm	590-595
Niche depth in mm	550
Appliance width in mm	595
Appliance height in mm	596
Appliance depth in mm	569.3
Weight in kg	42
Accessories supplied	
Baking tray with PerfectClean	1
Universal tray with PerfectClean	1
Wire rack	2
FlexiClip runners	1 pair
Removable side runners	1 pair

H 2861 B Installation diagrams


Installation in a tall or base unit



Side view



Connection and ventilation



All dimensions are given in mm

Key:

1. Mains connection cable, length = 1,500 mm
2. No connections permitted in this area
3. Ventilation cut-out, min 150 cm²